

SAFETY DATA SHEET

Classified as hazardous according to criteria of EPA New Zealand

Section 1 - Identification

Product Name Ethanol Absolute **Product Code** ACR39769, AJA1045, AJA1046, AJA1047, AJA214, AJA5004, AJA5077, AJA914, BSPEL1086, BSPEL260, BSPEL975, FNNJJ00ABS200, FNNJJ00ABS20P, FNNJJ00ABS5, FSBBP2818, FSBE/0600DF, FSBE/0650DF, FSBE/0655DF, PAUETHANOL5L, PHC-111WORLD200, TCHAHGAA, FSBE/0550DF, FSBE/0555DF, BSPEL978 Address Thermo Fisher Scientific New Zealand Ltd 244 Bush Road, Albany, Auckland, New Zealand **CHEMTREC® Emergency Tel.** 09 980 6780 or +64 9 980 6780 **Telephone / Fax Numbers** Tel: 09 980 6700 Fax: 09 980 6788 E-mail address NZinfo@thermofisher.com

Recommended Use

Laboratory chemicals.

Section 2 - Hazard(s) Identification

Classification under Work Safe New Zealand

3.1B - Flammable liquids: high hazard 6.4A - Substances that are irritating to the eye

Classified as hazardous according to criteria of EPA New Zealand

HSNO Approval Number HSR001144

GHS Classification

Physical hazards Flammable liquids

Health hazards

Serious Eye Damage/Eye Irritation

Environmental hazards Based on available data, the classification criteria are not met

Label Elements

NZ-000496

Category 2

Category 2



Signal Word

Danger

Hazard Statements

- H225 Highly flammable liquid and vapor
- H319 Causes serious eye irritation

Precautionary Statements

- P201 Obtain special instructions before use
- P202 Do not handle until all safety precautions have been read and understood
- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking
- P233 Keep container tightly closed
- P240 Ground/bond container and receiving equipment
- P242 Use non-sparking tools
- P243 Take precautionary measures against static discharge
- P281 Use personal protective equipment as required
- P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- P308 + P313 IF exposed or concerned: Get medical advice/attention
- P370 + P378 In case of fire: Use CO2, dry chemical or foam for extinction
- P403 + P235 Store in a well-ventilated place. Keep cool
- P501 Dispose of contents/ container to an approved waste disposal plant

Other information

No information available

Section 3 - Composition and Information on Ingredients

Component	CAS-No	Weight %
Ethyl alcohol	64-17-5	99-100

Section 4 - First Aid Measures

NZ-000496	Version 1	04-Jul-2020	Page 2/8			
Notes to Physician	Treat symptomatically. Symptoms may be delayed.					
Most important symptoms and effects	Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting					
First Aid Facilities	Eyewash, safety shower a	nd washroom.				
Self-Protection of the First Aider		Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.				
Eye Contact	Rinse thoroughly with pler Consult a physician.	ty of water for at least 15 minutes, lifting	lower and upper eyelids.			
Skin Contact	Wash off immediately with clothes and shoes.	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.				
Ingestion	Clean mouth with water a	Clean mouth with water and drink afterwards plenty of water.				
Inhalation	Remove to fresh air.					

Section 5 - Fire Fighting Measures

Suitable Extinguishing Media

Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

No information available.

Hazardous Combustion Products

Specific Hazards Arising from the Chemical

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6 - Accidental Release Measures

Emergency procedures

Remove all sources of ignition. Take precautionary measures against static discharges. **Environmental Precautions** Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Up

Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

Section 7 - Handling and Storage

Precautions for Safe Handling

Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat, sparks and flame.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

AS 1940-2004 - The storage and handling of flammable and combustible liquids does not apply to this product. It is covered by the ADG Code Class 3 exclusion clause (i.e. SP No 144 An aqueous solution containing not more than 24% alcohol by volume is not subject to the ADG Code, AS1940 section 1.2). Refer to AS1940 to ensure compliance of individual storage and handling facilities.

Section 8 - Exposure Controls and Personal Protection

Exposure limits

NZ - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

Component	New Zealand WEL
Ethyl alcohol	TWA: 1000 ppm
·	TWA: 1880 mg/m ³

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting/equipment. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment

changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment Eye Protection	Wear safety glasses with side shields (or goggles) (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial applications)
Hand Protection	Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Viton (R).	See manufacturers	-	AS/NZS 2161.1	(minimum requirement)
	recommendations			

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection	Long sleeved clothing
Repiratory Protection	Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use and maintenance of repiratory protective devices
Recommended Filter type:	Organic gases and vapours filter Type A Brown conforming to EN14387 (or AUS/NZ equivalent)
Recommended half mask:-	Valve filtering: EN405 or Half mask: EN140 plus filter, EN 141 (or AUS/NZ equivalent) When RPE is used a face piece Fit Test should be conducted
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	Prevent product from entering drains. Do not allow material to contaminate ground water system.

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance Physical State	Clear Colorless Liquid	
Odor Odor Threshold pH Melting Point/Range Softening Point Boiling Point/Range Flash Point	No information available No data available Not applicable No data available No data available 78 °C / 172.4 °F 12 °C / 53.6 °F	Method - No information available
Evaporation Rate Flammability (solid,gas) Explosion Limits	No data available Not applicable No data available	Liquid
Vapor Pressure Vapor Density Specific Gravity / Density Bulk Density Water Solubility Solubility in other solvents Partition Coefficient (n-octanol/wat Component	No data available No data available No data available Not applicable No information available No information available er) log Pow	(Air = 1.0) Liquid

Ethanol Absolute

SAFETY DATA SHEET

Ethyl alcohol	-0.32
Autoignition Temperature	No data availab
Decomposition Temperature	No data availab
Viscosity	No data availab
Explosive Properties	No information
Oxidizing Properties	No information

Other information **Molecular Formula** Molecular Weight

ble ble ble available available

Vapors may form explosive mixtures with air

Section 10 - Stability and Reactivity

C2 H6 O 46.07

Reactivity	None known, based on information available
Stability	Stable under normal conditions.
Conditions to Avoid	Keep away from open flames, hot surfaces and sources of ignition.
Hazardous Decomposition Products	s None under normal use conditions.

Hazardous Polymerization No information available.

Section 11 - Toxicological Information

Information on Toxicological Effects

Product Information (a) acute toxicity;	
Oral	Based on available data, the classification criteria are not met
Dermal	Based on available data, the classification criteria are not met
Inhalation	Based on available data, the classification criteria are not met

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation			
Ethyl alcohol	LD50 = 7060 mg/kg (Rat)	20000 ppm/10H (Rat)				
(b) skin corrosion/irritation;	b) skin corrosion/irritation; Based on available data, the classification criteria are not met					
(c) serious eye damage/irritation; (d) respiratory or skin sensitization;	Based on available data, the c	lassification criteria are not me	it			
		In a life ation anitania and materia				

Respiratory Based on available data, the classification criteria are not met Skin Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity;

Based on available data, the classification criteria are not met

		The table below indicates whether each agency has listed any ingredient as a carcinogen						
Component	Australia	New Zealand	New South	Western	IARC	EU	UK	Germany
			Wales	Australia				
Ethyl alcohol					Group 1			
(g) reproductive toxicity; Based on available data, the classification criteria are not met								
(h) STOT-single exposur	e;	Based on available data, the classification criteria are not met						
(i) STOT-repeated expos	ure;	Based on available data, the classification criteria are not met						

Target Organs (j) aspiration hazard; None known. Based on available data, the classification criteria are not met

delayed

Symptoms / effects, both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

Section 12 - Ecological Information

Ecotoxicity effects

Contains a substance which is:. Toxic to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Ethyl alcohol	Fathead minnow	EC50 = 9268 mg/L/48h		Photobacterium
	(Pimephales promelas)	EC50 = 10800 mg/L/24h	(Chlorella vulgaris)	phosphoreum:EC50 =
	LC50 = 14200 mg/l/96h			34634 mg/L/30 min
				Photobacterium
				phosphoreum:EC50 =
				35470 mg/L/5 min
Persistence and Degradability	No information availab	ble		
Persistence	Persistence is unlikely	, based on information	available.	
Degradation in sewage treatment plant Bioaccumulative Potential	Contains substances I water treatment plants Bioaccumulation is un	3.	to the environment or	not degradable in wast

Component	log Pow	Bioconcentration factor (BCF)			
Ethyl alcohol	-0.32	No data available			
Mobility	The product contains volatile organic compounds (VOC) which will evaporate easily from al surfaces. Will likely be mobile in the environment due to its volatility. Disperses rapidly in air				
Endocrine Disruptor Information	This product does not contain any known or suspected endocrine disruptors				
Persistent Organic Pollutant	This product does not contain any known or suspected substance				
Ozone Depletion Potential	This product does not contain any known or suspected substance				

Section 13 - Disposal Considerations

Waste from Residues/Unused Products	Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.
Other Information	Disposal agencies or waste contractors must comply with the New Zealand Hazardous Substances (Disposal) Regulations. Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations.

Section 14 - Transport Information

IMDG/IMO

UN-No	UN1170
Proper Shipping Name	ETHANOL
Technical Shipping Name	Ethyl Alcohol
Hazard Class	3
Packing Group	II

NZS 5433:2012

UN-No Proper Shipping Name Technical Shipping Name Hazard Class Packing Group Compo Ethyl al 64-17-5 (cohol	Hazchem Code 2YE 2Y
IATA	1	
UN-No Proper Shipping Name Technical Shipping Name Hazard Class Packing Group	UN1170 ETHANOL Ethyl Alcohol 3 II	
Environmental hazards	No hazards identified	
Special Precautions	No special precautions required	
Additional information	None known	

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	HSNO Approval Number
Ethyl alcohol	HSR001144

International Inventories

X = listed

Component	NZIoC	AICS	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	KECL
Ethyl alcohol	Х	Х	200-578-	-	Х	Х	-	Х	Х	Х	KE-1321
-			6								7

Prohibition or notification/licensing Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

Section 16 - Other Information

This safety data sheet complies with the requirements of WorkSafe New Zealand Regulations

Legend

 AICS - Australian Inventory of Chemical Substances TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List IECSC - Chinese Inventory of Existing Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances TWA - Time Weighted Average IARC - International Agency for Research on Cancer ICAO/IATA - International Civil Aviation Organization/International Air Transport Association MARPOL - International Convention for the Prevention of Pollution from Ships NZS 5433:2012 - Transport of Dangerous Goods on Land 	NZIOC - New Zealand Inventory of Chemicals EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances ENCS - Japanese Existing and New Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances CAS - Chemical Abstracts Service ACGIH - American Conference of Governmental Industrial Hygienists Predicted No Effect Concentration (PNEC) IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code
LD50 - Lethal Dose 50%	LC50 - Lethal Concentration 50%
EC50 - Effective Concentration 50%	ATE - Acute Toxicity Estimate
WEL - Workplace Exposure Limit	RPE - Respiratory Protective Equipment
DNEL - Derived No Effect Level	NOEC - No Observed Effect Concentration

POW - Partition coefficient Octanol:Water **vPvB** - very Persistent, very Bioaccumulative VOC (volatile organic compound) **BCF** - Bioconcentration factor **PBT** - Persistent, Bioaccumulative, Toxic

Key literature references and sources for data

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

Revision Date	04-Jul-2020
Revision Summary	Not applicable.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet