

# SAFETY DATA SHEET

Australian statement of hazardous nature : Classified as hazardous according to criteria of Safe Work Australia

## Section 1 - Identification

Product Name	pH Universal indicator solution			
Product Code	AJA613			
Address	ThermoFisher Scientific Australia Pty Ltd 5 Caribbean Drive, Scoresby VICTORIA 3179, Australia			
Emergency Tel.	CHEMTREC® 03 9757 4559 or +613 9757 4559			
Telephone / Fax Numbers	Tel: 1300 735 292 Fax: 1800 067 639			
E-mail address	auinfo@thermofisher.com			

**Recommended Use** 

Laboratory chemicals.

# Section 2 - Hazard(s) Identification

#### **Classification under Safe Work Australia**

Classified as hazardous according to criteria of Safe Work Australia

Physical hazards Flammable liquids

Category 2

Health hazards No hazards identified

Environmental hazards No hazards identified

### Label Elements



Signal Word

Danger

Hazard Statements H225 - Highly flammable liquid and vapor

#### Precautionary Statements

P201 - Obtain special instructions before use

- P202 Do not handle until all safety precautions have been read and understood
- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking
- P233 Keep container tightly closed
- P240 Ground/bond container and receiving equipment
- P242 Use non-sparking tools

P243 - Take precautionary measures against static discharge

P281 - Use personal protective equipment as required

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P370 + P378 - In case of fire: Use CO2, dry chemical or foam for extinction

P403 + P235 - Store in a well-ventilated place. Keep cool

P501 - Dispose of contents/ container to an approved waste disposal plant

#### Other information

No information available

## Section 3 - Composition and Information on Ingredients

Component	CAS-No	Weight %
Ethyl alcohol	64-17-5	30-60

### Section 4 - First Aid Measures

Inhalation	Remove to fresh air.
Ingestion	Clean mouth with water and drink afterwards plenty of water.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.
First Aid Facilities	Eyewash, safety shower and washroom.
Most important symptoms and effects	Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting
Notes to Physician	Treat symptomatically.

### Section 5 - Fire Fighting Measures

#### Suitable Extinguishing Media

Water mist may be used to cool closed containers.

#### Extinguishing media which must not be used for safety reasons No information available.

#### Specific Hazards Arising from the Chemical

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

#### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### Section 6 - Accidental Release Measures

#### Emergency procedures

Remove all sources of ignition. Take precautionary measures against static discharges.

#### **Environmental Precautions**

See Section 12 for additional Ecological Information. Do not flush into surface water or sanitary sewer system.

#### Methods for Containment and Clean Up

Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

#### Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

### Section 7 - Handling and Storage

### Precautions for Safe Handling

Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

#### Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat, sparks and flame.

#### AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

AS 1940-2004 - The storage and handling of flammable and combustible liquids does not apply to this product. It is covered by the ADG Code Class 3 exclusion clause (i.e. SP No 144 An aqueous solution containing not more than 24% alcohol by volume is not subject to the ADG Code, AS1940 section 1.2). Refer to AS1940 to ensure compliance of individual storage and handling facilities.

## Section 8 - Exposure Controls and Personal Protection

#### Exposure limits

**AUS** - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia **ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace. **UK** - EH40/2005 Work Exposure Limits, Third edition. Published 2018. **DE** - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Ethyl alcohol	TWA: 1000 ppm TWA: 1880 mg/m³	TWA: 1000 ppm TWA: 1880 mg/m³	STEL: 1000 ppm	TWA: 1000 ppm TWA; 1920 mg/m <sup>3</sup> TWA WEL - STEL: 3000 ppm STEL; 5760 mg/m <sup>3</sup> STEL	200 ppm TWA MAK; 380 mg/m³ TWA MAK

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

### Exposure Controls

### Engineering Measures

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting/equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment Eye Protection

Wear safety glasses with side shields (or goggles) (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial applications)

Hand Protection	Protective gloves
-----------------	-------------------

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Disposable gloves	See manufacturers	-	AS/NZS 2161.1	(minimum requirement)
	recommendations			

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection	Long sleeved clothing
Repiratory Protection	Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use and maintenance of repiratory protective devices (or AUS/NZ equivalent) When RPE is used a face piece Fit Test should be conducted
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	Prevent product from entering drains. Do not allow material to contaminate ground water system.

### Section 9 - Physical and Chemical Properties

#### Information on basic physical and chemical properties

Appearance Green	
Physical State Liquid	
Odor No information available	
Odor Threshold No data available	
pH Not applicable	
Melting Point/Range -117 °C / -178.6 °F	
Softening Point No data available	
Boiling Point/Range 78 °C / 172.4 °F	
Flash Point 13 °C / 55.4 °F Method - No information available	
Evaporation Rate No data available	
Flammability (solid,gas) Not applicable Liquid	
Explosion Limits No data available	
Vapor Pressure No data available	
Vapor Density No data available (Air = 1.0)	
Specific Gravity / Density No data available	
Bulk Density Not applicable Liquid	
Water Solubility No information available	
Solubility in other solvents No information available	
Partition Coefficient (n-octanol/water)	
Component log Pow	
Ethyl alcohol -0.32	
Autoignition Temperature No data available	
Decomposition Temperature No data available	
Viscosity No data available	
Explosive Properties No information available Vapors may form explosive mixtures with	n air
Oxidizing Properties No information available	

Other information

# Section 10 - Stability and Reactivity

Reactivity	None known, based on information available
Stability	Stable under normal conditions.
Conditions to Avoid	Keep away from open flames, hot surfaces and sources of ignition.

Hazardous Decomposition Products None under normal use conditions.

Hazardous Polymerization No information available.

### Section 11 - Toxicological Information

Information on Toxicological Effects

Product Information (a) acute toxicity;	
Oral	Based on available data, the classification criteria are not met
Dermal	No data available
Inhalation	No data available

#### Toxicology data for the components

Component	LD	50 Oral		LD50 Dermal		LC50 Inha	alation
Ethyl alcohol	LD50 = 706	LD50 = 7060 mg/kg (Rat) 20000 ppm/10H (				0H(Rat)	
b) skin corrosion/irritation;	No data avail	lable	I		I		
c) serious eye damage/irritation; d) respiratory or skin sensitization;	No data avai	lable					
Respiratory	No data avail	lable					
Skin	No data avai	lable					
e) germ cell mutagenicity;	No data avail	lable					
) carcinogenicity;	No data avai	lahle					
		ow indicates		n agency has l			¥
Component Australia	The table bel	ow indicates	whether each Western Australia	agency has l	isted any ing EU	gredient as a	¥
		ow indicates v	Western				a carcinogen Germany
Component Australia Ethyl alcohol g) reproductive toxicity;		ow indicates v New South Wales able	Western	IARC			¥
Component Australia	New Zealand No data avail	ow indicates v New South Wales able able	Western	IARC			¥
Component     Australia       Ethyl alcohol     g) reproductive toxicity;       h) STOT-single exposure;	New Zealand No data avail No data avail	ow indicates v New South Wales able able able able	Western	IARC			¥

# Section 12 - Ecological Information

#### **Ecotoxicity effects**

Contains a substance which is:. Toxic to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Ethyl alcohol	Fathead minnow	EC50 = 9268 mg/L/48h	EC50 (72h) = 275 mg/l	Photobacterium
	(Pimephales promelas)	EC50 = 10800 mg/L/24h	(Chlorella vulgaris)	phosphoreum:EC50 =
	LC50 = 14200 mg/l/96h			34634 mg/L/30 min
				Photobacterium
				phosphoreum:EC50 =
				35470 mg/L/5 min
Persistence and Degradability	No information availab	ble		
Persistence	Persistence is unlikely	, based on information	available.	
Degradation in sewage treatment plant	Contains substances water treatment plants	known to be hazardous	to the environment or	not degradable in was
Bioaccumulative Potential	Bioaccumulation is un	likely		

Component	log Pow	Bioconcentration factor (BCF)						
Ethyl alcohol	-0.32	No data available						
Mobility	The product contains volatile organic compounds (VOC) which will evaporate easily from all							
	surfaces. Will likely be mobile in the environment due to its volatility Disperses rapidly in							
	air							
Endocrine Disruptor Information	This product does not contain any known or suspected endocrine disruptors							
Persistent Organic Pollutant	This product does not contain any known or su	uspected substance						
Ozone Depletion Potential	This product does not contain any known or su	uspected substance						

### Section 13 - Disposal Considerations

Waste from Residues/Unused Products	Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.
Other Information	Chemical wastes should be disposed through a licensed commercial waste collection service. Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations.

# Section 14 - Transport Information

### IMDG/IMO

Proper Shipping Name Flammable liquid, n.o.s.	UN-No	UN1993
	Proper Shipping Name	Flammable liquid, n.o.s.
Technical Shipping Name         (CONTAINS METHYLATED SPIRITS)	Technical Shipping Name	(CONTAINS METHYLATED SPIRITS
Hazard Class 3	Hazard Class	3
Packing Group II	Packing Group	II

ADG

UN-No	
Proper Shipping Name	
<b>Technical Shipping Name</b>	
Hazard Class	
Packing Group	

UN1993 Flammable liquid, n.o.s. (CONTAINS METHYLATED SPIRITS 3 II

### SAFETY DATA SHEET

Component	Hazchem Code
Ethyl alcohol	2YE
64-17-5 ( 30-60 )	2Y

IATA

UN-No Proper Shipping Name Technical Shipping Name Hazard Class Packing Group	UN1993 Flammable liquid, n.o.s. (CONTAINS METHYLATED SPIRITS 3 II
Environmental hazards	No hazards identified
Special Precautions	No special precautions required
Additional information	None known

# Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

X = listed

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	KECL
Ethyl alcohol	Х	Х	200-578-	-	Х	Х	-	Х	Х	Х	KE-1321
			6								7
Standard for the Uniform		S7 - Pois	son								

Scheduling of Medicines and

Poisons

Prohibition or notification/licensing Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

### Section 16 - Other Information

Legend

#### Key literature references and sources for data

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:Physical hazardsOn basis of test dataHealth HazardsCalculation method

#### **Environmental hazards**

Calculation method

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Revision Date Revision Summary 04-Jul-2020 Not applicable.

### This safety data sheet complies with the requirements of Safe Work Australia WHS Regulation

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

### **End of Safety Data Sheet**