

SAFETY DATA SHEET

Australian statement of hazardous nature : Classified as hazardous according to criteria of Safe Work Australia

Section 1 - Identification

| Product Name | Copper (II) nitrate | |
|-------------------------|---|--|
| | | |
| Product Code | AJA770, AJA771, BSPC0212 | |
| Address | ThermoFisher Scientific Australia Pty Ltd | |
| | 5 Caribbean Drive, Scoresby | |
| | VICTORIA 3179, Australia | |
| Emergency Tel. | CHEMTREC® | |
| | 03 9757 4559 or +613 9757 4559 | |
| Telephone / Fax Numbers | Tel: 1300 735 292 | |
| - | Fax: 1800 067 639 | |
| E-mail address | auinfo@thermofisher.com | |

Recommended Use

Laboratory chemicals.

Section 2 - Hazard(s) Identification

Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

Physical hazards

Oxidizing solids Substances/mixtures corrosive to metal

Health hazards

| Acute Oral Toxicity |
|--|
| Acute Dermal Toxicity |
| Acute Inhalation Toxicity - Dusts and Mists |
| Skin Corrosion/Irritation |
| Serious Eye Damage/Eye Irritation |
| Respiratory Sensitization |
| Skin Sensitization |
| Germ Cell Mutagenicity |
| Carcinogenicity |
| Reproductive Toxicity |
| Specific target organ toxicity - (single exposure) |

Environmental hazards

Acute aquatic toxicity Chronic aquatic toxicity

Label Elements

Category 2 Category 1

Category 4 Category 4 Category 2 Category 2 Category 1 C B Category 2 Category 1 Category 1 Category 1 Category 2 Category 2 Category 1B Category 1B Category 3

Category 1 Category 3 Category 1

Copper (II) nitrate

SAFETY DATA SHEET



Signal Word

Danger

Hazard Statements

- H351 Suspected of causing cancer
- H302 Harmful if swallowed
- H319 Causes serious eye irritation
- H315 Causes skin irritation
- H335 May cause respiratory irritation
- H312 Harmful in contact with skin
- H332 Harmful if inhaled
- H412 Harmful to aquatic life with long lasting effects
- H272 May intensify fire; oxidizer
- H290 May be corrosive to metals
- H314 Causes severe skin burns and eye damage
- H317 May cause an allergic skin reaction
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
- H341 Suspected of causing genetic defects if inhaled
- H350 May cause cancer
- H360 May damage fertility or the unborn child
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects

Precautionary Statements

- P201 Obtain special instructions before use
- P202 Do not handle until all safety precautions have been read and understood
- P264 Wash face, hands and any exposed skin thoroughly after handling
- P270 Do not eat, drink or smoke when using this product
- P280 Wear eye protection/ face protection
- P271 Use only outdoors or in a well-ventilated area
- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking
- P220 Keep/Store away from clothing/ combustible materials
- P221 Take any precaution to avoid mixing with combustibles
- P234 Keep only in original container
- P272 Contaminated work clothing should not be allowed out of the workplace
- P280 Wear protective gloves
- P285 In case of inadequate ventilation wear respiratory protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P330 - Rinse mouth

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P362 - Take off contaminated clothing and wash before reuse

P310 - Immediately call a POISON CENTER or doctor/physician

P363 - Wash contaminated clothing before reuse

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P331 - Do NOT induce vomiting

P370 + P378 - In case of fire: Use CO2, dry chemical or foam for extinction

P390 - Absorb spillage to prevent material damage

P304 + P341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing

P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P402 - Store in a dry place

- P406 Store in corrosion resistant polypropylene container with a resistant inliner
- P501 Dispose of contents/ container to an approved waste disposal plant

Other information

No information available

Section 3 - Composition and Information on Ingredients

| Component | CAS-No | Weight % |
|---------------------------------------|------------|----------|
| Nitric acid, copper(2+) salt, hydrate | 19004-19-4 | 100 |

Section 4 - First Aid Measures

| Inhalation | Remove to fresh air. |
|-------------------------------------|---|
| Ingestion | Clean mouth with water and drink afterwards plenty of water. |
| Skin Contact | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. |
| Eye Contact | Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician. |
| Self-Protection of the First Aider | No special precautions required. |
| First Aid Facilities | Eyewash, safety shower and washroom. |
| Most important symptoms and effects | Causes eye burns. Causes burns by all exposure routes. May cause allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing |
| Notes to Physician | Treat symptomatically. |

Section 5 - Fire Fighting Measures

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Extinguishing media which must not be used for safety reasons

No information available.

Specific Hazards Arising from the Chemical

Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.). Do not allow run-off from fire-fighting to enter drains or water courses.

Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6 - Accidental Release Measures

Emergency procedures

Ensure adequate ventilation.

Environmental Precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

Methods for Containment and Clean Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Sweep up and shovel into suitable containers for disposal.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

Section 7 - Handling and Storage

Precautions for Safe Handling

Keep away from clothing and other combustible materials.

Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Do not store near combustible materials.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

Section 8 - Exposure Controls and Personal Protection

Exposure limits

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia **UK** - EH40/2005 Work Exposure Limits, Third edition. Published 2018. **ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace. **DE** - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

| Component | Australia | New Zealand WEL | ACGIH TLV | The United Kingdom | Germany |
|------------------|-----------|-----------------|--------------------------|--------------------|-----------------------------------|
| Nitric acid, | | | TWA: 1 mg/m ³ | | TWA: 0.01 mg/m ³ (8 |
| copper(2+) salt, | | | | | Stunden). MAK |
| hydrate | | | | | Höhepunkt: 0.02 mg/m ³ |

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Exposure Controls

Engineering Measures

None under normal use conditions. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

| Personal protective equi Eye Protection | | • | ealand Standard AS/NZS | S 1337 - Eye protectors for Industrial |
|---|---|-----------------|----------------------------------|---|
| Hand Protection | Protectiv | e gloves | | |
| Glove material Natural rubber Nitrile rubber Neoprene PVC | Breakthrough time See manufacturers recommendations | Glove thickness | AUS/NZ Standard AS/NZS 2161.1 | Glove comments (minimum requirement) |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.

(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

| Skin and body protection | Long sleeved clothing |
|---|---|
| Repiratory Protection Recommended Filter type: | Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use and maintenance of repiratory protective devices Particle filter (or AUS/NZ equivalent) |
| recommended i ner type. | |
| Hygiene Measures | Handle in accordance with good industrial hygiene and safety practice. |
| Environmental exposure controls | Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained. |

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

| Appearance Physical State | Blue green Powder Solid | |
|---|---|---|
| Odor Odor Threshold pH Melting Point/Range Softening Point Boiling Point/Range Flash Point Evaporation Rate Flammability (solid,gas) Explosion Limits | No information available No data available Not applicable 3.5 114 - °C / 237.2 - 239 °F No data available Not applicable Not applicable Not applicable No information available No data available | Method - No information available Solid |
| Vapor Pressure Vapor Density Specific Gravity / Density Bulk Density Water Solubility Solubility in other solvents Partition Coefficient (n-octanol/water Autoignition Temperature Decomposition Temperature Viscosity Explosive Properties Oxidizing Properties | No data available Not applicable No data available No data available No information available No information available er) Not applicable No data available Not applicable No information available Oxidizer | Solid |
| <u>Other information</u> Molecular Formula Molecular Weight | Cu(NO3)2 187.56 | |

Section 10 - Stability and Reactivity

Reactivity

Yes

Contact with acids liberates very toxic gas

| Stability | Oxidizer: Contact with combustible/organic material may cause fire. | |
|--|---|--|
| Conditions to Avoid | Incompatible products, Excess heat, Combustible material. | |
| Incompatible Materials | Strong reducing agents, Combustible material. | |
| Hazardous Decomposition Products None under normal use conditions. | | |
| Hazardous Polymerization | No information available. | |

Section 11 - Toxicological Information

Information on Toxicological Effects

| Product Information (a) acute toxicity; Oral Dermal Inhalation | Category 4 Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met |
|---|---|
| (b) skin corrosion/irritation; | Category 1 B |
| (c) serious eye damage/irritation; (d) respiratory or skin sensitization; Respiratory Skin | Category 1 Category 1 Category 1 |
| No information available | |
| (e) germ cell mutagenicity; | Category 2 |
| (f) carcinogenicity; | Category 1B |
| (g) reproductive toxicity; (h) STOT-single exposure; | The table below indicates whether each agency has listed any ingredient as a carcinogen Category 1B No data available |
| (i) STOT-repeated exposure; | No data available |
| Target Organs (j) aspiration hazard; | No information available. Not applicable Solid |
| Symptoms / effects,both acute and delayed | Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing |

Section 12 - Ecological Information

| Ecotoxicity effects | Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. |
|-------------------------------|---|
| Persistence and Degradability | No information available |
| Degradability | Not relevant for inorganic substances. |
| Degradation in sewage | Contains substances known to be hazardous to the environment or not degradable in waste |

| treatment plant | water treatment plants. |
|---------------------------|---------------------------|
| Bioaccumulative Potential | No information available |
| Mobility | No information available. |

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential No information available. This product does not contain any known or suspected endocrine disruptors This product does not contain any known or suspected substance This product does not contain any known or suspected substance

Section 13 - Disposal Considerations

| Waste from Residues/Unused Products | Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations. |
|--|--|
| Contaminated Packaging | Dispose of this container to hazardous or special waste collection point. |
| Other Information | Chemical wastes should be disposed through a licensed commercial waste collection service. Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Do not let this chemical enter the environment. |

Section 14 - Transport Information

IMDG/IMO

| UN-No Proper Shipping Name Technical Shipping Name Hazard Class Packing Group | UN1477 NITRATES, INORGANIC, N.O.S. Copper Nitrate 5.1 II |
|---|--|
| ADG | |
| UN-No Proper Shipping Name Technical Shipping Name Hazard Class Packing Group IATA | UN1477 NITRATES, INORGANIC, N.O.S. Copper Nitrate 5.1 II |
| UN-No Proper Shipping Name Technical Shipping Name Hazard Class Packing Group | UN1477 NITRATES, INORGANIC, N.O.S. Copper Nitrate 5.1 II |
| Environmental hazards | Dangerous for the environment Product is a marine pollutant according to the criteria set by IMDG/IMO |
| Special Precautions | No special precautions required |
| Additional information | None known |

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

SAFETY DATA SHEET

| Component | AICS | NZIoC | EINECS | ELINCS | TSCA | DSL | NDSL | PICCS | ENCS | IECSC | KECL |
|-------------------------------|------|-------|--------|--------|------|-----|------|-------|------|-------|------|
| Nitric acid, copper(2+) salt, | Х | Х | - | - | - | - | - | Х | - | - | - |
| hydrate | | | | | | | | | | | |

Standard for the Uniform

Scheduling of Medicines and Poisons

| Component | Standard for the Uniform Scheduling of Medicines and Poisons | Health Surveillance |
|---------------------------------------|---|---------------------|
| Nitric acid, copper(2+) salt, hydrate | Schedule 4 listed - for human use except: | |
| | when separately specified in these | |
| | Schedules, in preparations for human | |
| | internal use containing <=5 mg of Copper | |
| | per recommended daily dose, or in other | |
| | preparations containing <=5% of Copper | |
| | compounds | |
| | Schedule 5 listed - in animal feed additives | |
| | except in preparations containing <=1% of | |
| | Copper | |
| | Schedule 6 listed - except: when separately | |
| | specified in these Schedules, in preparations | |
| | for human internal use containing <=5 mg of | |
| | Copper per recommended daily dose, | |
| | pigments where the solubility of the Copper | |
| | compounds in water is <=1 g/L, in feed | |
| | additives containing <=1% of Copper, or in | |
| | other preparations containing <=5% of | |
| | Copper compounds Schedule 6 listed - | |
| | except when separately specified in these | |
| | Schedules; in preparations for human internal | |
| | use containing <=5 mg of Copper per | |
| | recommended daily dose;pigments where | |
| | the solubility of the Copper compounds in | |
| | water is <=1 g/L;in feed additives containing | |
| | <=1% of Copper, or in other preparations | |
| | containing <=5% of Copper compounds | |

Prohibition or notification/licensing Shown below are details of specific prohibition/notifications or licencing requirements when they apply. requirements

Section 16 - Other Information

Legend

Key literature references and sources for data Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Chemical incident response training.

Revision Date Revision Summary 04-Jul-2020 Not applicable.

This safety data sheet complies with the requirements of Safe Work Australia WHS Regulation

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet